



Yale

Designed to
suit your home

Yale Door Closers

Yale is trusted by millions of people every day to keep what's important to them safe. Their homes, families and belongings.

Our innovations have protected homes and given peace of mind for 180 years. We have expanded from a mechanical lock innovator to leading the evolution of connected smart locks and homes.

Because when we do things, we do them properly. We were there for your grandparents (and probably theirs) and we will be there for you. And for your children.

Today, and every day to come



Setting standards since 1840

We move with the times: back in the 19th Century, mass production was in vogue, and we were leading the way.

Today, mass production is becoming mass customisation. People want the products they buy to be tailored to them, and to respond intelligently to their needs.


These are the new standards, and we're setting them.






Contents


05		Yale 300 series
08		Yale 3500 series
12		Yale 3700 series
14		Yale 4000 series
16		Yale 5500 series



300 Series Standard Arm Silver



300 Series Hold Open Arm Silver



300 Series Parallel Arm Silver

Yale 300 Door Closer Series

Features

- Tested up to 100,000 cycles for closing and opening of the door closer for extreme durability
- Suitable for left or right handed doors
- Mounts on doors that are max door width 1100mm and weight 68Kg
- Fire resistant (NOT for European Countries)
- Available in silver, white, brown, black & gold to suit your door and home
- Available with standard arm, parallel arm and hold open arm configuration
- Standard arm configuration available in blister packaging

Specification

- UL listed
- Casted aluminium body
- Closing and latch speed adjustable by regulating valves



White



Brown



Black



Gold

	300 Series Standard Arm	300 Series Hold Open Arm	300 Series Parallel Arm
Colour	Silver, white, brown, black & gold	Silver, white, brown, black & gold	Silver, white, brown, black & gold
Dimensions (Height/Depth/Length [mm])	30,5 x 62.5 x 182	30,5 x 62.5 x 182	30,5 x 62.5 x 182
Weight (kg)	1.52	1.64	1.68
Closing speed	Variable between 180°-15°	Variable between 180°-15°	Variable between 150°-15°
Latching Speed	Variable between 15° - 0°	Variable between 15° - 0°	Variable between 15° - 0°
Backcheck	N/A	N/A	N/A



Indoor use

Suitable for interior use on wood, metal and fire doors



Adjustable

You can adjust the closing and latching speed




Easy to install

With the help of a drilling template



Fire resistant

Suitable for fire and smoke protection doors



3500 Series Standard Arm Silver

Yale 3500 Door Closer Series

Features

- Tested up to 500,000 cycles for closing and opening of the door closer for extreme durability
- Suitable for left or right handed doors
- Mounts on doors that are max door width 1100mm and weight 80kg
- Fire resistant
- Available in silver, white, brown, black & gold to suit your door and home

Specification

- CE marked
- Casted aluminium body
- Closing and latch speed adjustable by regulating valves



Indoor use

Suitable for interior use on wood, metal and fire doors



Adjustable

You can adjust the closing and latching speed




Easy to install

With the help of a drilling template



Fire resistant

Suitable for fire and smoke protection doors



3500 Series Hold Open Arm Silver



3500 Series Parallel Arm Silver



White



Brown




Black



Gold

	3500 Series Standard Arm	3500 Series Hold Open Arm	3500 Series Parallel Arm
Colour	Silver, white, brown, black & gold	Silver, white, brown, black & gold	Silver, white, brown, black & gold
Dimensions (Height/Depth/Length [mm])	30,5 x 62.5 x 182	30,5 x 62.5 x 182	30,5 x 62.5 x 182
Weight (kg)	1.52	1.64	1.68
Closing speed	Variable between 180° - 15°	Variable between 180° - 15°	Variable between 150°-15°
Latching Speed	Variable between 15° - 0°	Variable between 15° - 0°	Variable between 15° - 0°
Backcheck	N/A	N/A	N/A




3700 Door Closer Sliding Arm Silver




3700 Door Closer Sliding Arm White



3700 Door Closer Sliding Arm Black



3700 Door Closer Sliding Arm Brown



3700 Door Closer Sliding Arm Gold

Yale 3700 Door Closer Series

Features

- Tested up to 500,000 cycles for closing and opening of the door closer for extreme durability
- Suitable for left or right handed doors
- Mounts on doors that are max door width 950mm and weight 60kg
- Fire resistant
- Available in silver, white, brown, black & gold to suit your door and home

Specification

- CE Marked
- UL listed
- Casted aluminium body
- Closing, latch speed and back check adjustable by regulating valves
- Adjustable back check valve (optional)



Indoor use

Suitable for interior use on wood, metal and fire doors



Adjustable

You can adjust the closing and latching speed



Easy to install


With the help of a drilling template



Fire resistant

Suitable for fire and smoke protection doors

	3700 Door Closer Sliding Arm
Colour	Silver, white, brown, black & gold
Dimensions (Height/Depth/ Lenght [mm])	40 x 55 x 202
Weight (kg)	2.5
Closing speed	Variable between 180° - 15°
Latching Speed	Variable between 15° - 0°
Backcheck	N/A



4000 Series Standard Arm Silver

Yale 4000 Door Closer Series

Features

- Tested up to 500,000 cycles for closing and opening of the door closer for extreme durability
- Suitable for left or right handed doors
- Mounts on doors that are max door width 1100mm and weight 80kg
- Fire resistant
- Available in silver, white, brown, black & gold to suit your door and home

Specification

- CE Marked
- UL listed
- Casted aluminium body
- Closing and latch speed adjustable by regulating valves



Indoor use

Suitable for interior use on wood, metal and fire doors



Adjustable

You can adjust the closing and latching speed



Easy to install

With the help of a drilling template




Fire resistant


Suitable for fire doors



4000 Series Hold Open Arm Silver



4000 Series Parallel Arm Silver



4000 Series Standard Arm and Cover Silver



White



Brown




Black



Gold

	4000 Series Standard Arm	4000 Series Hold Open Arm	4000 Series Parallel Arm	4000 Series with Cover and Standard Arm
Colour	Silver, white, brown, black & gold	Silver, white, brown, black & gold	Silver, white, brown, black & gold	Silver, white, brown, black & gold
Dimensions (Height/Depth/Length [mm])	54 x 45 x 219	54 x 45 x 219	54 x 45 x 219	60 x 60 x 230
Weight (kg)	1.78	1.7	1.85	1.78
Closing speed	Variable between 180° - 15°/ EN4= variable between 105° - 15°	Variable between 180° - 15°/ EN4= variable between 105° - 15°	Variable between 120° - 15°	Variable between 180° - 15°/ EN4= variable between 105° - 15°
Latching Speed	Variable between 15° - 0°	Variable between 15° - 0°	Variable between 15° - 0°	Variable between 15° - 0°
Backcheck	N/A	N/A	N/A	N/A



5500 Series Standard Arm Silver


Yale 5500 Door Closer Series

Features


- Tested up to 500,000 cycles for closing and opening of the door closer for extreme durability
- Suitable for left or right handed doors
- Mounts on doors that are max door width 1250mm and weight 100kg
- Fire resistant
- Available in silver, white, brown, black & gold to suit your door and home

Specification

- CE Marked
- UL listed
- Casted aluminium body
- Closing, latch speed and back check adjustable by regulating valves
- Adjustable Back check valve



5500 Series Hold Open Arm Silver



5500 Series Parallel Arm Silver



White



Brown



Black



Gold

	5500 Series Standard Arm	5500 Series Hold Open Arm	5500 Series Parallel Arm
Colour	Silver, white, brown, black & gold	Silver, white, brown, black & gold	Silver, white, brown, black & gold
Dimensions (Height/Depth/Length [mm])	55 x 40 x 206	55 x 40 x 206	55 x 40 x 206
Weight (kg)	1.8	1.95	2.35
Closing speed	Variable between 180°-15° / EN5 = 125°-15°	Variable between 180°-15° / EN5 = 125°-15°	Variable between 180°-15° / EN5 = 125°-15°
Latching Speed	Variable between 15° - 0°	Variable between 15° - 0°	Variable between 15° - 0°
Backcheck	Variable above 75°	Variable above 75°	Variable above 75°



Indoor use

Suitable for interior use on wood, metal and fire doors



Adjustable

You can adjust the closing and latching speed



Easy to install

With the help of a drilling template



Fire resistant

Suitable for fire and smoke protection doors

Trusted innovation.

Some of them succeed; some of them fail. Some stick around; some disappear. We're up for the challenge of the new.

But when we do new things, we do them properly. That's why we've been around for 180 years.





www.yalehome.com



Trusted every day

Part of ASSA ABLOY